MIKRON VCE 1250



Tipo: Centro di lavoro verticale Verticale
Brand: MIKRON
Modello: VCE 1250
Anno: 04.2000
Matricola: 20422
Specifiche:

Con alta pressione attraverso il mandrino e coclea.

GMV Macchine Utensili s.r.l.
Via G. Paglia, 9 - 24050 Zanica (BG) IT - Tel. +39 035 591673 - Fax +39 035 593245
P.IVA e C.F. 03535620169 - www.gmvmacchine.it - info@gmvitalia.it

Informazioni tecniche

TAVOLA

Dimensioni tavola: 1320x455 mm

CAPACITÀ

Corsa asse X longitudinale: 1270 mm
Corsa asse Y trasversale: 508 mm
Corsa asse Z verticale: 635 mm

MANDRINO

Attacco mandrino: DIN 69871 ISO
Velocità di rotazione: 7500 giri/min.

MAGAZZINO UTENSILI

Stazioni portautensili: 24 nr.



GMV Macchine Utensili s.r.l.
Via G. Paglia, 9 - 24050 Zanica (BG) IT - Tel. +39 035 591673 - Fax +39 035 593245
P.IVA e C.F. 03535620169 - www.gmvmacchine.it - info@gmvitalia.it




HAAS MODEL VC 1 250
HAAS AUTOMATION, INC, OXNARD, CA. 93030
SERIAL NUMBER 20422
DATE OF MFG 04 00
VOLTAGE ..... 360 / 480
PHASE 3
HERTZ ..... 50 / 60
FULL LOAD ..... 40 AMPS
LARGEST LOAD ..... 30 AMPS
SHORT CIRCUIT
INTERRUPTING CAPACITY – 10,000 AMPS
WIRING DIAGRAM .....
OVER CURRENT PROTECTION PROVIDED AT MACHINE SUPPLY TERMINALS.
WARNING
LETHAL VOLTAGES INSIDE CABINET.
DISCONNECT FROM POWER SOURCE BEFORE OPENING CABINET!
TRAINED SERVICE PERSONNEL ONLY!
MADE IN USA
P/N 29-7900E
CONFORMS TO NFPA 79
CERTIFIED TO CAN/CSA C22.2 NO. 73