

## SMEC MCV 6700H



**Tipo:** Centro di lavoro verticale Verticale

**Brand:** SMEC

**Modello:** MCV 6700H

**C.N.C:** Fanuc 0iTF PLUS

## Informazioni tecniche

### TAVOLA

Dimensioni tavola: 1550x670 mm

Max peso ammesso: 1300 kg

### CAPACITÀ

Corsa asse X longitudinale: 1300 mm

Corsa asse Y trasversale: 670 mm

Corsa asse Z verticale: 650 mm

### MANDRINO

Attacco mandrino: 40 ISO

Velocità di rotazione: 12.000 giri/min.


Potenza motore: 11-15 Kw

### AVANZAMENTI

Rapido asse X,Y,Z: 36000/36000/30000 mm/min

### MAGAZZINO UTENSILI


Stazioni portautensili: 30 nr.



## Direct head

Spindle Speed  
**12,000 rpm**

Spindle Motor  
**11/15/18.5 kW**



Spindle is sustained by 4 rows P4 speedy angular ball bearing reducing temperature increasing to realize high speed and precision machining.

By adopting Direct Drive type spindle minimize vibration to excellent machining for nonmetal surface finishing.

Motor direct type is connected by coupling without extra power transmission.

## Environment friendly chip disposal

By additional coil conveyor 2 sets coolant and chip disposal is improved, realizing perfect chip disposal through process in order

Bed Coolant Pipe(STD)

